



SANITARY NAPKIN INCINERATOR MACHINE

Safe. Hygienic. Eco-Friendly.



SAFE &
AUTOMATIC



ECO-FRIENDLY
SOLUTION



LOW SMOKE
EMISSION



WALL
MOUNTABLE

Wisdom For Your Life

01

SANITARY NAPKIN INCINERATOR

Burning Capacity-100 Pad/day



TYPE OF MACHINE

Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

BURNING CAPACITY

80 to 100 Pads per day.

6-8 pads per cycle within 15 to 20 minutes.

** Insert up to 4 pads at a time.

DIMENSIONS

Length-205 mm x Breadth-205 mm x Height-435 mm, Weight-11 Kg.

OPERATING MECHANISM

- ✓ Open the door & put the used napkin in drop point close the door properly.
- ✓ Turn on MCB and press the push button to start to the machine.
- ✓ Wait for 15-20 minute for burning process & Machine will Shut Down automatic

INSULATION

Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket..

ELECTRICAL & SAFETY :-


230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 800 Watt.

ACCESSORIES

Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

SANITARY NAPKIN INCINERATOR

Burning Capacity-200 Pad/day



TYPE OF MACHINE

Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating

BURNING CAPACITY

180 to 200 Pads per day.

10-12 pads per cycle within 15 to 20 minutes.

** Insert up to 6 pads at a time.

DIMENSIONS

Length-255 mm x Breadth-255 mm x Height-450 mm, Weight-13 kg

OPERATING MECHANISM

- Open the door & put the used napkin in drop point close the door properly.
- Turn on MCB and press the push button to start to the machine.
- Wait for 15-20 minute for burning process & Machine will Shut Down automatic

INSULATION

Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket..

ELECTRICAL & SAFETY :-

230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 800 Watt.

ACCESSORIES

Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

03

SANITARY NAPKIN INCINERATOR

Burning Capacity-400 Pad/day



TYPE OF MACHINE

Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

BURNING CAPACITY

380 to 400 Pads per day.

20-25 pads per cycle within 20 to 25 minutes.

** Insert up to 10 pads at a time.

DIMENSIONS

Length-305 mm x Breadth-305 mm x Height-525 mm, Weight-18 kg

OPERATING MECHANISM

- Open the door & put the used napkin in drop point close the door properly.
- Turn on MCB and press the push button to start to the machine.
- Wait for 15-20 minute for burning process & Machine will Shut Down automatic

INSULATION

Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket..

ELECTRICAL & SAFETY :-

230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 800 Watt.

ACCESSORIES



Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

NAPKIN INCINERATOR WITH SMOKE CONTROL UNIT

Burning Capacity-100 Pad/day



Weight
14kg



TYPE OF MACHINE

Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

BURNING CAPACITY

80 to 100 Pads per day.

6-8 pads per cycle within 15 to 20 minutes.

** Insert up to 3 pads at a time.

DIMENSIONS

Length-205 mm x Breadth-205 mm x Height-435 mm,
Weight-14 Kg.

SEPARATE SMOKE CONTROL

- L X B X H-205x205x200 mm, Weight-3 kg
- One Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control (With Exhaust Fan).

OPERATING MECHANISM

- Open the door & put the used napkin in drop point close the door properly.
- Turn on MCB and press the push button to start to the machine.
- Wait for 15-20 minute for burning process & Machine will Shut Down automatic

INSULATION

Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket..

ELECTRICAL & SAFETY :-

230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 800 Watt.

ACCESSORIES

Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

05

NAPKIN INCINERATOR WITH SMOKE CONTROL UNIT

Burning Capacity-200 Pad/day



Weight
16kg



TYPE OF MACHINE

Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

BURNING CAPACITY

180 to 200 Pads per day.

10-12 pads per cycle within 15 to 20 minutes.

** Insert up to 6 pads at a time

DIMENSIONS

Length-255 mm x Breadth-255 mm x Height-450 mm,
Weight-13 kg

SEPARATE SMOKE CONTROL

- L X B X H-255x255x200 mm, Weight-3 kg
- One Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control (With Exhaust Fan).

OPERATING MECHANISM

- Open the door & put the used napkin in drop point close the door properly.
- Turn on MCB and press the push button to start to the machine.
- Wait for 15-20 minute for burning process & Machine will Shut Down automatic

INSULATION

Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket..

ELECTRICAL & SAFETY :-

230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 1400 Watt.



ACCESSORIES

Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

06

NAPKIN INCINERATOR WITH SMOKE CONTROL UNIT

Burning Capacity-400 Pad/day



TYPE OF MACHINE

Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

BURNING CAPACITY

180 to 200 Pads per day.

10-12 pads per cycle within 15 to 20 minutes.

** Insert up to 6 pads at a time

DIMENSIONS

Length-305 mm x Breadth-305 mm x Height-525 mm,
Weight-18 kg

SEPARATE SMOKE CONTROL

L X B X H-255x255x200 mm, Weight-3 kg

Double Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control (With Exhaust Fan).

OPERATING MECHANISM

Open the door & put the used napkin in drop point close the door properly.

Turn on MCB and press the push button to start to the machine.

Wait for 15-20 minute for burning process & Machine will Shut Down automatic

INSULATION

Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket..

ELECTRICAL & SAFETY :-

230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 1400 Watt.

ACCESSORIES

Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

*Thanks for
connecting us...*

VP INDUSTRIES

Office & Manufacturing Unit: VP INDUSTRIES.

A0-91, Amrit Steel Compound, South Side
Industrial Area, Ghaziabad-201001

AN ISO & CE Certified

MSME CERTIFIED

GEM Registered Supplier

 **+91-8512895000**



 **+91-9560532288**



**AN ISO & CE
Certified**



**MSME
CERTIFIED**



**GEM Registered
Supplier**



**Trusted Quality.
Proven Excellence.**